

DANGEROUS POISON

KEEP OT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

CHEMAG  
DSMA  
HERBICIDE

ACTIVE CONSTITUENT: 526g/L DSMA  
SOLVENT: 31g/L ETHYLENE GLYCOL

GROUP	<b>K</b>	HERBICIDE
-------	----------	-----------

For the control of: Paspalum (Paspalum Dilatatum), Summergrass (Digitaria Spp.), Mullumbimby Couch and other sedges in common couch, bent and fescue lawns, bowling greens and golf courses.

**NOT FOR USE IN THE HOME GARDEN**

CONTENTS: 5 / 10 / 20 LITRES

ChemAg Pty Ltd ACN 009 234 691  
Suite 12, 11 Preston Street Como Western Australia 6152  
Tel: (08) 9368 7474 Fax: (08) 9368 7475

[ DRUM MUSTER LOGO ]

BAR CODE
-------------

**DIRECTIONS FOR USE: FOR USE IN ALL STATES****RESTRAINTS:**

DO NOT use product on Queensland Blue Couch, Carpet, Kikuyu or Centipede grasses as severe injury may result.

DO NOT apply to dry turf during hot weather.

DO NOT water or cut grass for 24 hours after treatment.

DO NOT spray on windy days as drift may damage desirable plants.

SITUATION	WEEDS CONTROLLED	STATE	RATE	CRITICAL COMMENTS
Bowling Greens of Common or Indian Couch	Paspalum, Summergrass, Mullumbimby Couch, Sedges, Crab Grass, Nut Grass.	NSW, SA, Vic, Qld, NT & ACT	4.1L in 320L of water per standard green	Area to be treated should be watered the previous day to ensure the soil is moist. Repeat treatment may be necessary in 7 to 10 days. Use the finest spray possible. Some injury may occur if applied when air temperature exceed 30°C.
		WA only	1.6L in 320L of water per standard green	
Bowling Greens of Bent or Fescue		NSW, SA, Vic, Qld, NT & ACT	2.7L in 320L of water per standard green	
Golf Greens, Parks, Lawns & Tennis Courts of Common or Indian Couch		NSW, SA, Vic, Qld, NT & ACT	275mL in 30L of water per 100m <sup>2</sup>	
		WA only	105mL in 30L of water per 100m <sup>2</sup>	
Golf Greens, Parks, Lawns & Tennis Courts of Bent or Fescue	NSW, SA, Vic, Qld, NT & ACT	170mL in 30L of water per 100m <sup>2</sup>		
Golf Greens, Parks, Lawns & Tennis Courts of Buffalo Grass		WA only	105mL in 30L of water per 100m <sup>2</sup>	

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.  
DO NOT USE THIS PRODUCT IN THE HOME GARDEN

**GENERAL INSTRUCTIONS:****PROTECTION OF LIVESTOCK**

Do not feed treated grass clippings from treated area to poultry or other animals.

**PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT**

Toxic to fish. DO NOT contaminate streams, rivers or waterways with chemical or used containers.

**PROTECTION OF CROPS, NATIVE AND OTHER NON-TARGET PLANTS**

Do not apply under meteorological conditions or from spraying equipment which could be expected to drift onto nearby susceptible plants, adjacent crops, crop lands or pastures.

**Resistance Warning**

<b>GROUP</b>	<b>K</b>	<b>HERBICIDE</b>
--------------	----------	------------------

ChemAg DSMS Herbicide a member of the Organoarsenic group of herbicides with diverse sites of action. For weed resistance management this is a Group K Herbicide.

Some naturally occurring weed biotypes resistant to ChemAg DSMA Herbicide and other organoarsenic herbicides may exist through normal genetic variability in any weed population. The resistant individuals can eventually dominate the weed population if these herbicides are used repeatedly. These resistant weeds will not be controlled by ChemAg DSMA Herbicides or any other organoarsenic herbicides.

Since the occurrence of resistant weeds is difficult to detect prior to use, ChemAg Pty Ltd accepts no liability for any losses that may result from the failure of ChemAg DSMA Herbicide to control the resistant weeds.

Advice as to strategies and alternative treatments that can be used should be obtained from your local supplier, consultant, local Department of Agriculture, Primary Industries Department or a ChemAg representative.

**STORAGE AND DISPOSAL**

Store in the closed original container in a cool, well-ventilated area, as cool as possible. Do not store for prolonged periods in direct sunlight. Store in a locked room or place away from children, animals, food, feedstuffs, seed and fertilisers. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

**SAFETY DIRECTIONS**

Poisonous if absorbed by skin contact or swallowed. May irritate the eyes and skin. Avoid contact with eyes and skin. When preparing and using the prepared spray, wear cotton overalls buttoned to the neck and wrist, a washable hat and rubber gloves. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves and contaminated clothing.

**FIRST AID**

If poisoning occurs, contact a Doctor or Poisons Information Center (Phone 131126).

**Material Safety Data Sheets**

If additional hazard information is required refer to the Material Safety Data Sheet. For a copy phone 1800 171799.

**CONDITIONS OF SALE:**

"ChemAg Pty Ltd shall not be liable for any loss, injury, damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale, supply, use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on ChemAg's skill of judgment in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of ChemAg has any authority to add to or alter these conditions".

NRA Approval No:

Batch No:

Date of Manufacture: